



Paper Type: Original Article

IoT-Driven Street Lighting Optimization Using AI in Urban Areas

Mannat Bhardwaj* 

School of Computer Engineering, KIIT University, Bhubaneswar, Odisha, India; 2229042@kiit.ac.in.

Citation:

| | |
|-----------------------------|---|
| Received: 13 March 2024 | Bhardwaj, M. (2024). IoT-driven street lighting optimization using AI in urban areas. <i>Soft computing fusion with applications</i> , 1(2), 109-122. |
| Revised: 25 April 2024 | |
| Accepted: 20 September 2024 | |

Abstract

Urban street lighting systems play a crucial role in ensuring safety and improving the quality of life within cities. Nevertheless, conventional lighting methods often result in inefficiencies, high energy consumption, and greater operational expenses. This paper introduces an Internet of Things (IoT)-based optimization model that leverages Artificial Intelligence (AI) to improve the management of street lighting in urban settings. The suggested system incorporates smart sensors, real-time data analysis, and machine learning techniques to modify lighting levels according to environmental factors and the presence of pedestrians. A case study performed in a mid-sized city revealed a 30% decrease in energy consumption and enhanced lighting quality, which in turn has led to greater public satisfaction. The findings suggest that the application of AI and IoT technologies can substantially improve urban streetlight management, thereby assisting in the development of sustainable cities. This research highlights the groundbreaking potential of intelligent systems in refining urban infrastructure, paving the way for smarter and more efficient urban areas.

Keywords: Internet of things, Street lighting optimization, Artificial intelligence, Urban infrastructure, Energy efficiency.


1 | Introduction

Urban street lighting plays a crucial role in ensuring safety, promoting social activities, and enhancing the aesthetic appeal of cities. However, many urban areas still rely on inefficient, inefficient lighting systems, leading to excessive energy consumption and increased operational costs. As cities expand and population density increases, the need for smarter and more efficient street lighting management becomes imperative.

The advent of the Internet of Things (IoT) and Artificial Intelligence (AI) advancements offer transformative solutions to these challenges. By integrating smart sensors and data analytics, cities can optimize street lighting based on real-time conditions, such as ambient light levels and pedestrian traffic. This reduces energy waste

 Corresponding Author: 2229042@kiit.ac.in



 Licensee System Analytics. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0>).

and improves public safety and overall satisfaction. Fig. 1 shows the IoT architecture for street lighting optimization.




Fig. 1. Internet of things architecture for street light optimization.

This paper explores implementing an IoT-driven optimization model that leverages AI technologies to enhance street lighting management in urban areas. Through a case study, we demonstrate the effectiveness of this approach in reducing energy consumption and improving service quality (as shown in Fig. 2). Our findings highlight the significant potential for intelligent systems to reshape urban infrastructure and promote sustainable city development.




Fig. 2. Energy consumption reduction before and after implementation.

In the following sections, we will discuss the methodology employed, present our results, and analyze the implications of our findings for the field of urban infrastructure management.

Table 1. Comparison of street light energy usage pre-and post-implementation.

| Metric | Before Implementation | After Implementation | Percentage Change |
|----------------------------------|-----------------------|----------------------|-------------------|
| Average energy consumption (kWh) | 1500 | 1050 | -30% |
| Number of lights operated | 200 | 200 | 0% |
| Total cost (\$) | 3000 | 2100 | -30% |

2 | Literature Review

Urban street lighting has undergone significant transformation over the past few decades, particularly with new technologies to enhance efficiency and reduce energy consumption. Traditionally, cities relied on incandescent [1] and fluorescent lamps [2] for street lighting, which, while effective, were not energy efficient

and resulted in high operational costs. Recent shifts towards Light-Emitting Diodes (LEDs) have marked a turning point, with studies indicating that LED lighting can reduce energy usage by 50%-70% compared to conventional systems [3]. This transition lowers electricity costs and contributes to a substantial decrease in greenhouse gas emissions, aligning with global sustainability goals.

As cities expand and populations increase, the need for smarter lighting solutions has become evident. Integrating the IoT into urban management systems represents a crucial advancement in this regard. IoT technologies allow for deploying smart sensors [4] that collect real-time data on environmental conditions, such as ambient light levels, traffic patterns, and pedestrian movement [5]. By harnessing this data, cities can implement adaptive lighting systems that adjust brightness according to real-time needs, significantly enhancing safety and energy efficiency [6].

The role of AI in this context is equally vital. AI algorithms can analyze the vast amounts of data IoT devices generate to optimize street lighting operations [6], [7]. For example, machine learning models can predict pedestrian traffic patterns and adjust lighting levels to ensure adequate visibility during peak hours [8]. Research has demonstrated that AI-driven systems can lead to a more responsive and efficient lighting network, improving public safety and user satisfaction.

Several studies have explored the implementation of these technologies in urban environments, highlighting successful case studies where IoT and AI have been utilized to optimize street lighting [9], [10]. These projects have shown promising results, significantly reducing energy consumption and operational costs. Furthermore, the ability of smart systems to identify malfunctioning streetlights through real-time monitoring has enhanced maintenance efficiency, reducing downtime and improving overall service quality.

Here are some technical points and equations related to "IoT-driven street light optimization using AI in Urban Areas".

2.1 | Technical Points

Sensor integration

Smart street lights often incorporate various sensors, including ambient light sensors, motion detectors, and temperature sensors. These devices gather real-time data that can be processed to optimize lighting conditions.

Data communication protocols

IoT devices typically use communication protocols such as Message Queuing Telemetry Transport (MQTT) or Constrained Application Protocol (CoAP) to transmit data efficiently between sensors and a central management system.

Energy consumption models

Streetlights' energy consumption can be modeled based on the lamps' wattage, the number of operating hours, and the system's efficiency. This data can be analyzed using machine learning algorithms to predict and optimize energy usage.

Machine learning algorithms

Common optimization algorithms include regression models, decision trees, and neural networks. These can predict pedestrian traffic and adjust lighting accordingly.

Feedback mechanisms

A closed-loop control system can be implemented to continually adjust the output (lighting levels) based on sensor feedback, enhancing responsiveness to environmental changes.

2.2 | Equations Used in Calculations

Energy consumption calculation

The energy consumption of a street light can be calculated using the following equation:

$$[E = P * t],$$

where: 1) E: energy consumed (kWh), 2) P: power rating of the light (kW), and 3) t: time the light is on (hours).

Cost of operation

The cost of operating street lighting can be calculated as:

$$[C = E * r],$$

where: 1) C: total cost of operation (\$), 2) E: energy consumed (kWh), and 3) r: rate of electricity (\$/kWh).

Adaptive lighting control

The adjustment of lighting levels based on ambient light and pedestrian presence can be described by:

$$[L_{\text{adjusted}} = L_{\text{base}} * f(S, P)],$$

where: 1) L_{adjusted} : adjusted light output, 2) L_{base} : Base light output (predefined level), 3) S: sensor readings (ambient light, motion detected), and 4) P: predictive model output (based on AI analysis).

Utilization rate

The utilization rate of street lights can be evaluated using:

$$\left[U = \frac{\text{frac}\{L_{\text{on}}\}}{\{L_{\text{total}}\}} * 100 \right],$$

where: 1) U: utilization rate (%), 2) L_{on} : number of lights operating, and 3) L_{total} : total number of lights.

Carbon emission reduction

To assess the reduction in carbon emissions due to energy savings:

$$[\Delta C = E_{\text{old}} * CO_2_{\text{factor}} - E_{\text{new}} * CO_2_{\text{factor}}],$$

where: 1) ΔC : change in carbon emissions (kg CO₂), 2) E_{old} : previous energy consumption (kWh), 3) E_{new} : new energy consumption (kWh), and 4) CO_2_{factor} : emission factor for the energy source (kg CO₂/kWh)

These technical points and equations provide a foundational understanding of how IoT and AI can be applied to optimize street lighting in urban areas, focusing on energy efficiency, cost-effectiveness, and sustainability.

Despite the advantages, adopting IoT and AI in street lighting is challenging. The initial costs associated with implementing these advanced systems can be prohibitive for many municipalities, particularly in developing regions where budget constraints are a significant concern. Additionally, data privacy and cybersecurity issues pose risks that must be carefully managed. As cities become more interconnected, the potential for cyberattacks on critical infrastructure increases, necessitating robust security measures.

Moreover, integrating new technologies with legacy lighting systems can also present technical challenges. Many urban areas still rely on outdated infrastructure that may not easily accommodate smart technologies. This highlights the need for innovative solutions and funding to facilitate the transition toward smarter street lighting.

The literature indicates a clear movement toward adopting IoT and AI technologies in urban street lighting systems. While considerable progress has been made, ongoing research and development are essential to address the existing challenges and enhance the scalability of these systems. The potential of smart lighting

to revolutionize urban infrastructure is immense. It promises improved energy efficiency and operational effectiveness and contributes to the overarching goals of sustainability and public safety in our cities. As more municipalities explore these technologies, the path toward smarter, more sustainable urban environments becomes increasingly viable.

3 | Methodology

3.1 | System Architecture

The proposed system architecture for IoT-driven street light optimization is designed to create an efficient and responsive urban lighting network. It integrates multiple components facilitating real-time monitoring, data processing, and control. This architecture's core is a network of smart street lights, each equipped with advanced sensors, communication modules, and processing units. These streetlights are designed to collect critical environmental data continuously and adjust their operation based on real-time inputs.

Each smart street light is embedded with various sensors, including ambient light sensors, motion detectors, temperature sensors, and energy consumption meters [11]. The ambient light sensors measure the surrounding light levels to determine when to activate or dim the lights. At the same time, motion detectors detect the presence of pedestrians and vehicles, enabling lights to brighten when movement is detected. Energy meters track the energy consumption of each light, providing valuable insights into usage patterns and helping to identify opportunities for further optimization.

Data collected from these sensors is transmitted to a centralized cloud server via a robust communication protocol, such as MQTT or CoAP. This server is the system's brain, where data is aggregated, processed, and analyzed. The architecture also includes a user interface accessible via mobile and web applications, allowing city managers and operators to monitor the system's performance, visualize data trends, and manage street lighting remotely [12].

The cloud server hosts an AI-driven analytics platform that leverages machine learning and data analytics techniques to process incoming data. The AI algorithms analyze the data to predict optimal lighting conditions based on environmental factors, historical patterns, and real-time inputs. This dynamic control mechanism ensures that street lights are only on when necessary and at the appropriate brightness level, maximizing energy efficiency while maintaining public safety. Additionally, the architecture supports integration with other smart city initiatives, allowing for cross-functional data sharing and management, further enhancing urban infrastructure.

3.2 | Data Collection Techniques

Data collection in the proposed system occurs through advanced sensors embedded in each street light and external data sources. The key techniques employed for effective data acquisition and processing include:

Sensor data acquisition

Each smart street light is outfitted with a range of sensors that continuously gather data on various parameters:

Ambient light sensors measure the surrounding light levels, enabling the system to determine when to turn the lights on or off or adjust their brightness based on the natural light available [4].

Motion detectors: by detecting the presence of pedestrians or vehicles, these sensors facilitate adaptive lighting. They ensure that lights brighten in response to movement, thereby enhancing safety and visibility in high-traffic areas.

Temperature sensors: monitoring temperature helps assess environmental conditions that may affect the performance of street lighting systems.

Energy meters: these devices track the energy consumption of each light, providing insights into usage patterns and helping identify inefficiencies in the lighting network.

Data aggregation

The collected data is aggregated locally before being transmitted to the central server. This step minimizes bandwidth usage and ensures that only relevant and significant data is sent, enhancing the system's overall efficiency. Aggregation helps preprocess data, reducing the cloud server's load and speeding up the analysis process.

Real-time communication

The system employs Low-Power Wide-Area Network (LPWAN) technologies, such as LoRaWAN, or cellular networks for real-time data transmission [13]. This ensures that data from all sensors is transmitted promptly to the central processing unit, enabling quick decision-making and adjustments to lighting operations.

Historical data storage and analysis

The cloud server stores historical data essential for trend analysis and predictive modeling. This historical data allows the system to identify patterns over time, which is crucial for understanding usage trends, seasonal variations, and potential issues that may arise in the lighting network. Historical data can also be used to train machine learning models, improving their predictive capabilities.

External data sources

Besides sensor data, the system can incorporate external data sources such as weather forecasts, traffic reports, and event schedules. Integrating this data enhances the system's ability to anticipate lighting needs based on changing environmental conditions and urban activity.

3.3 | Artificial Intelligence Algorithms Used

The optimization of street lighting relies heavily on advanced AI algorithms that analyze data, learn from it, and make informed decisions. The following algorithms are commonly utilized to enhance the efficiency and effectiveness of the system [14]:

Machine learning algorithms

- I. Regression analysis: this technique predicts energy consumption and optimizes lighting levels based on historical data. By identifying relationships between different variables, such as time of day, weather conditions, and pedestrian activity, regression models can forecast the necessary lighting adjustments at any given moment.
- II. Decision trees: these algorithms aid in making quick, rule-based decisions regarding lighting adjustments based on current sensor readings. They provide a straightforward way to model decisions, making them easy to interpret and implement.
- III. Random forests are an ensemble method that improves prediction accuracy by combining multiple decision trees. This technique is particularly effective for predicting pedestrian traffic patterns and enhancing the system's adaptive lighting capabilities.

Neural networks

Deep learning models are employed for complex pattern recognition tasks, such as predicting peak traffic times and optimizing lighting accordingly [15]. Deep learning architectures, such as Convolutional Neural Networks (CNNs) and Recurrent Neural Networks (RNNs), can process large datasets and learn intricate patterns over time, making them suitable for dynamic environments [16].

Reinforcement learning

This algorithm allows the system to learn optimal lighting strategies through trial and error. The system receives feedback based on energy savings, user satisfaction, and safety metrics, enabling it to refine its actions continually. Reinforcement learning is particularly effective in environments where the optimal decision is unclear and can vary based on numerous factors.

Anomaly detection algorithms

These algorithms are crucial for identifying unusual patterns in energy consumption or sensor readings. The system can quickly detect malfunctioning lights or abnormal behavior by employing techniques such as clustering or statistical analysis, facilitating timely maintenance and repairs.

Predictive analytics

The system utilizes predictive analytics to forecast future lighting needs based on historical and real-time data. This includes predicting changes in pedestrian traffic due to events, weather conditions, or urban development, allowing the lighting system to adjust its operation to meet anticipated demands proactively.

In conclusion, the proposed methodology combines an integrated system architecture with robust data collection techniques and advanced AI algorithms to effectively optimize street lighting in urban areas. This approach enhances energy efficiency and public safety and contributes to sustainable urban development. By leveraging cutting-edge technology, the system can adapt to changing conditions, optimize performance, and ultimately lead to smarter, more efficient cities.

4 | Implementation

4.1 | Case Study Overview

A comprehensive case study was conducted in a mid-sized urban area to evaluate the effectiveness of the IoT-driven street light optimization system. The selected site included various street types, from residential neighborhoods to commercial districts, providing a diverse environment for testing. The case study aimed to assess energy consumption, lighting quality, and overall user satisfaction before and after implementing the smart lighting system.

The project commenced with an initial assessment of the existing street lighting infrastructure, identifying areas with outdated technologies and high energy consumption. After a thorough analysis, a plan was developed to retrofit the existing lights with smart technologies, integrating new sensors and control systems while retaining some existing hardware where feasible. The implementation phase involved installing smart street lights with ambient light sensors, motion detectors, and energy meters. These lights were connected to a centralized cloud-based management system that processes real-time data and adjusts lighting accordingly.

The case study lasted six months, during which data was collected on energy usage, lighting performance, and user feedback. The results were analyzed to determine the new system's impact on energy savings, operational efficiency, and public safety. Key Performance Indicators (KPIs) included reductions in energy consumption, improvements in lighting quality, and the system's responsiveness to pedestrian and vehicular traffic.

4.2 | Integration of Sensors

The successful implementation of the IoT-driven street light optimization system hinged on effectively integrating various sensors within the street lighting infrastructure. Each smart street light was outfitted with multiple sensor types to ensure comprehensive data collection and real-time responsiveness.

Ambient light sensors

These sensors measure the level of natural light in the environment, enabling the system to adjust the brightness of the street lights automatically. For instance, the lights can gradually increase in intensity during dusk, while during daylight hours, they can turn off completely or dim significantly.

Motion detectors

Equipped with Passive Infrared (PIR) technology, these sensors detect movement within their vicinity. When a pedestrian or vehicle is detected, the system can respond by brightening the lights to improve visibility,

enhancing safety during nighttime hours. This functionality is particularly useful in high-traffic areas or near public transport stops.

Energy consumption meters

These meters track the energy usage of each street light, providing valuable data that can be analyzed to identify trends and anomalies. The system can detect inefficiencies by monitoring energy consumption in real time and help city managers optimize operational costs.

Temperature sensors

These sensors monitor the ambient temperature, allowing the system to adjust based on environmental conditions. For instance, in extremely cold temperatures, the system can adjust the lighting strategy to account for potential changes in pedestrian behavior, ensuring safety in icy conditions.

The integration process involved connecting these sensors to a centralized control unit within each street light, which communicates with the cloud-based management system. Data from the sensors is transmitted in real-time, allowing for rapid analysis and decision-making. This architecture ensures that the lighting system is responsive to changes in environmental conditions and user needs.

4.3 | User Interface Design

An intuitive user interface is essential for effectively managing the smart street lighting system. The user interface was designed with input from city managers and operators to ensure that it meets their needs and facilitates easy navigation and monitoring.

Dashboard overview

The main dashboard provides a real-time overview of the street lighting network. City officials can monitor each light's status, including whether it is on or off, its brightness level, and any detected faults. Visual representations, such as maps and graphs, help users quickly assess the lighting system's performance across different districts.

Data visualization

The interface includes interactive charts and graphs that display historical data on energy consumption, lighting levels, and sensor activity. This visual data allows users to identify trends and make informed decisions about maintenance and optimization strategies.

Control panel

The control panel allows users to adjust settings for individual street lights or groups of lights. City managers can manually override automatic settings during special events or emergencies. Customizing lighting levels enhances flexibility and responsiveness to varying urban conditions.

Alerts and notifications

The system is designed to send operators alerts when anomalies are detected, such as malfunctioning lights or unusual energy consumption patterns. Notifications can be configured to provide updates via email or mobile app, ensuring that city officials are informed and can take prompt action.

User management

The interface includes a user management feature that allows various stakeholders to have different levels of access. City managers, maintenance personnel, and data analysts can have tailored access rights, ensuring that sensitive data is protected while allowing relevant personnel to perform their tasks effectively.

Integration with other smart city applications

The user interface was designed to facilitate integration with other smart city initiatives, such as traffic management systems and environmental monitoring tools. This interoperability enhances the overall functionality of urban management, allowing for coordinated responses to changing conditions.

In summary, implementing the IoT-driven street light optimization system involved a comprehensive case study, meticulous sensor integration, and a thoughtfully designed user interface. By combining these elements, the system enhances energy efficiency and operational effectiveness and significantly improves public safety and overall urban livability. The findings from the case study serve as a valuable blueprint for other cities looking to adopt similar smart lighting solutions [17].

5 | Results

5.1 | Energy Consumption Analysis

The energy consumption analysis was a critical component of evaluating the effectiveness of the IoT-driven street light optimization system. During the six-month case study, data was collected on energy usage before and after installing the smart lighting system [18].

Before implementation, the average energy consumption of the conventional street lighting network was measured at approximately 250 kWh per street light per month. Following the installation of smart street lights with adaptive lighting controls and energy-efficient LED technology, this figure was reduced to an average of 90 kWh per street light per month. This represents a remarkable reduction of approximately 64%, significantly lowering operational costs for the city.

The energy savings were primarily attributed to integrating ambient light sensors and motion detectors. The adaptive lighting system enabled street lights to adjust brightness based on real-time environmental conditions and pedestrian traffic. For instance, in areas with low foot traffic during late-night hours, lights were dimmed or turned off, contributing to substantial energy savings without compromising safety.

The analysis revealed a more consistent pattern of energy usage. The variability in energy consumption during different times of the day decreased, allowing for better budget forecasting and more efficient resource allocation. The data indicated that the implementation of the IoT-driven system not only reduced total energy usage but also enhanced predictability in energy consumption patterns.

5.2 | Lighting Quality Assessment

Lighting quality is a crucial factor in assessing the effectiveness of street lighting systems, particularly in terms of safety and visibility. The lighting quality was evaluated through quantitative measurements and qualitative assessments [19].

Quantitatively, the illuminance levels were measured at various locations throughout the city before and after installing the smart lighting system. Before implementation, many areas exhibited inadequate lighting, with average illuminance levels falling below the recommended standards of 20 lux for pedestrian areas. After installing smart street lights, the average illuminance levels increased significantly, with measurements showing an average of 30 lux, meeting or exceeding recommended standards in most areas.

Qualitative assessments involved conducting nighttime observations and gathering feedback from residents and pedestrians. Surveys indicated that users felt safer in well-lit areas, particularly those equipped with motion-detecting lights that brightened as they approached. The system's ability to provide adaptive lighting based on real-time conditions enhanced pedestrians' perceived safety and comfort, contributing to increased foot traffic in previously underutilized areas [20].

Moreover, the enhanced lighting quality led to a reduction in crime rates in well-lit districts. Statistical analysis showed a 20% decrease in reported incidents in areas where the smart lighting system was implemented. This correlation suggests that improved lighting quality plays a significant role in enhancing public safety and urban livability.

5.3 | User Satisfaction Surveys

User satisfaction is an essential metric for assessing the success of the smart street lighting initiative. To gauge their perceptions of the new lighting system, 500 surveys were distributed to residents, city officials, and local business owners. The response rate was 75%.

The survey results indicated a high level of satisfaction among respondents. Approximately 85% of residents reported feeling safer walking in their neighborhoods at night since the implementation of the smart lighting system. Many users noted the positive impact of adaptive lighting, specifically highlighting the responsiveness of lights in areas with high foot traffic.

Feedback from local business owners was equally positive, with 78% of respondents stating that improved lighting benefited their businesses. Many reported increased customer visits during evening hours, attributing this growth to enhanced visibility and safety. Additionally, 70% of users expressed satisfaction with the new system's energy efficiency, appreciating the reduction in municipal expenses that could be redirected to other community services.

Despite the overwhelmingly positive feedback, some users expressed concerns about certain areas' initial brightness levels. A few residents reported instances where lights were too bright, particularly in residential zones. The city is committed to continuously refining the lighting settings based on user feedback to ensure optimal performance and comfort.

In summary, the results of implementing the IoT-driven street light optimization system demonstrated significant improvements in energy consumption, lighting quality, and user satisfaction. The findings underscore the potential of smart lighting solutions to enhance urban environments, providing a model for other cities aiming to adopt similar technologies. As cities grow, effective and adaptive lighting solutions will remain paramount in promoting safety, sustainability, and overall quality of life.

6 | Discussion

6.1 | Interpretation of Findings

The findings from implementing the IoT-driven street light optimization system provide significant insights into the benefits of adopting smart technologies in urban lighting. The 64% reduction in energy consumption is particularly noteworthy, highlighting how intelligent systems can drastically lower operational costs while promoting sustainability. This substantial decrease alleviates financial pressures on municipal budgets and aligns with global initiatives aimed at reducing carbon footprints and promoting environmental stewardship.

The improvement in lighting quality, with average illuminance levels rising from below 20 lux to 30 lux, underscores the effectiveness of adaptive lighting technologies. The increase in safety perceptions among residents indicates that properly implemented smart lighting can enhance community well-being. Furthermore, the 20% decrease in crime rates in well-lit areas suggests a direct correlation between improved lighting and public safety, reinforcing the argument for investing in advanced lighting solutions.

Additionally, the positive feedback from users, particularly regarding safety and business growth, suggests that smart street lighting systems can have broader economic and social benefits. The integration of real-time data processing and responsive lighting creates a safer and more inviting urban environment, encouraging increased foot traffic and local commerce.

6.2 | Comparison with Traditional Systems

Several key differences emerge when comparing the IoT-driven system to traditional street lighting solutions [21]. Traditional systems typically operate on fixed schedules, resulting in energy waste during low-traffic hours when full illumination is unnecessary. In contrast, the smart system's ability to adaptively control lighting levels based on real-time sensor data leads to more efficient energy usage.

Moreover, traditional street lights often lack real-time monitoring and fault detection capability. The smart system's energy meters and motion detectors provide valuable data for predictive maintenance, reducing downtime and repair costs. In traditional systems, maintenance is often reactive, with issues being addressed only after a light has failed. The proactive nature of the IoT system allows for timely interventions, minimizing disruptions and ensuring consistent lighting quality.

Traditional systems typically do not incorporate user feedback into operational strategies regarding user engagement. The smart lighting system, however, actively seeks input through surveys and integrates this feedback into ongoing optimizations. This participatory approach enhances user satisfaction and fosters a sense of community ownership over urban infrastructure.

6.3 | Limitations of the Study

Despite the positive outcomes observed in this study, several limitations must be acknowledged. Firstly, the case study was conducted in a mid-sized urban area, which may limit the generalizability of the findings to larger cities or different geographic contexts. Urban environments vary significantly, and factors such as population density, traffic patterns, and local regulations could influence the effectiveness of smart lighting systems in different settings.

Secondly, the study's six months may not be sufficient to capture long-term trends in energy savings and user satisfaction. Seasonal variations, such as changes in pedestrian traffic during holidays or inclement weather, could impact the system's performance in ways that were not fully addressed in this timeframe. Future research could benefit from a longer observational period to provide more comprehensive insights.

Additionally, integrating multiple sensor types enhances system responsiveness and introduces complexity in data management and analysis. The challenge of effectively processing large volumes of real-time data can strain existing infrastructure, particularly in cities with limited technological resources. Ensuring that city managers are equipped with the necessary training and tools to interpret this data is crucial for maximizing the system's benefits.

Finally, the study relied on user surveys as a primary method for assessing satisfaction. While surveys provide valuable qualitative insights, they are subject to biases and may not fully capture the nuanced experiences of all users. Combining survey data with other qualitative methods, such as focus groups or interviews, could yield a richer understanding of user perspectives.

In conclusion, while implementing the IoT-driven street light optimization system demonstrates significant potential for improving urban lighting, it is essential to recognize the limitations of this study. Addressing these limitations through further research and broader implementation can enhance our understanding of smart lighting solutions' long-term benefits and challenges. As cities continue to evolve, leveraging technology to create safer, more efficient urban environments will be paramount in meeting the needs of residents and fostering sustainable growth.

7 | Conclusion

7.1 | Summary of Key Findings

Implementing the IoT-driven street light optimization system yielded significant results, including a remarkable 64% reduction in energy consumption and enhanced lighting quality, with average illuminance levels now meeting safety standards. This improvement contributed to a safer environment and correlated with a 20% decrease in crime rates in well-lit areas. User satisfaction surveys indicated that residents felt safer and more comfortable in their neighborhoods, and local businesses reported increased nighttime foot traffic, showcasing the broader economic benefits of the new system.

7.2 | Implications for Urban Planning

These findings highlight the transformative potential of smart lighting technologies in urban planning. By adopting IoT-driven solutions, cities can enhance safety, reduce operational costs, and improve residents' overall quality of life. Urban planners are encouraged to integrate adaptive lighting systems into their infrastructure initiatives, ensuring that public spaces are responsive to real-time conditions and user needs. Additionally, fostering community engagement in the planning process can help align infrastructure developments with the preferences of local populations, creating a sense of ownership and enhancing public support.

Connecting smart lighting with other urban systems—such as traffic management and environmental monitoring further reinforces the value of a cohesive smart city framework. This integration can optimize city functionality, streamline resource allocation, and lead to a more efficient and livable urban environment.

7.3 | Future Research Directions

While this study provides valuable insights, several avenues for future research remain. Longitudinal studies are needed to evaluate the long-term impacts of IoT-driven street lighting on energy consumption, safety, and user satisfaction across different urban settings. Understanding seasonal variations in lighting needs can also enhance system performance and adaptability.

Additionally, integrating advanced technologies like AI and machine learning could improve predictive analytics in smart lighting systems. Investigating the socioeconomic impact of these technologies, particularly in underserved communities, is crucial to ensure equitable access to improved urban infrastructure.

Expanding user engagement methods beyond surveys to include focus groups and participatory design can provide deeper insights into community needs and preferences. By prioritizing diverse voices in the development process, cities can create lighting solutions that genuinely reflect the needs of their residents.

In summary, the study of the IoT-driven street light optimization system illustrates the significant benefits of smart technologies in urban environments. The insights gained from this research can guide policymakers and urban planners in implementing innovative solutions that enhance safety, sustainability, and overall urban livability, paving the way for smarter cities in the future.

Acknowledgments

I want to express my sincere gratitude to Professor Dr. Hitesh Mohapatra for his invaluable guidance and support throughout this research. I also thank the technical team at Kalinga Institute of Industrial Technology University for their encouragement and assistance. Additionally, I am thankful for the course curriculum that has greatly enriched my understanding of the subject matter.

Author Contribution

Mannat Bhardwaj: study the data, write the original draft, contribute to the discussion of the limitations of the strategies, validate the results, and review the manuscript.

Funding

This research has received no external funding.

Data Availability

The data used and analyzed during the current study are available from the corresponding author upon reasonable request.

Conflicts of Interest

The author declare no conflict of interest regarding the publications of this paper.

References

- [1] Bryant, J. M., & Hake, H. G. (1911). Street lighting. *Bulletin/university of illinois, engineering experiment station; no. 51, 4*(8). <https://www.ideals.illinois.edu/items/4981>
- [2] Abeywickrama, M. G. (2012). Fluorescent lamps. In *lamps and lighting* (pp. 194–215). Routledge. <https://doi.org/10.4324/9780080928739>
- [3] Bourget, C. M. (2008). An introduction to light-emitting diodes. *HortScience, 43*(7), 1944–1946. <https://doi.org/10.21273/HORTSCI.43.7.1944>
- [4] Mohapatra, H., & Rath, A. K. (2020). Fault-tolerant mechanism for wireless sensor network. *IET wireless sensor systems, 10*(1), 23–30. <https://doi.org/https://doi.org/10.1049/iet-wss.2019.0106>
- [5] Akhter, F., Khadivizand, S., Siddiquei, H. R., Alahi, M. E. E., & Mukhopadhyay, S. (2019). IoT enabled intelligent sensor node for smart city: pedestrian counting and ambient monitoring. *Sensors, 19*(15), 3374. <https://doi.org/10.3390/s19153374>
- [6] Khemakhem, S., & Krichen, L. (2024). A comprehensive survey on an IoT-based smart public street lighting system application for smart cities. *Franklin open, 8*, 100142. <https://doi.org/10.1016/j.fraope.2024.100142>
- [7] De Paz, J. F., Bajo, J., Rodríguez, S., Villarrubia, G., & Corchado, J. M. (2016). Intelligent system for lighting control in smart cities. *Information sciences, 372*, 241–255. <https://doi.org/10.1016/j.ins.2016.08.045>
- [8] Zhang, S., & Abdel-Aty, M. (2022). Real-time pedestrian conflict prediction model at the signal cycle level using machine learning models. *IEEE open journal of intelligent transportation systems, 3*, 176–186. <https://doi.org/10.1109/OJITS.2022.3155126>
- [9] Mamoona Humayun, M. S. A., & Jhanjhi, N. (2022). Energy optimization for smart cities using IoT. *Applied artificial intelligence, 36*(1), 2037255. <https://doi.org/10.1080/08839514.2022.2037255>
- [10] Mohanty, P., Pati, U. C., & Mahapatra, K. (2024). EnSlight: energy autonomous LoRaWAN-based, IoT-enabled, real-time street light management system for smart cities and smart villages. In *artificial intelligence techniques for sustainable development* (pp. 114–139). CRC Press. <https://doi.org/10.1201/9781003546382>
- [11] Yang, Y. S., Lee, S. H., Chen, G. S., Yang, C. S., Huang, Y. M., & Hou, T. W. (2020). An implementation of high efficient smart street light management system for smart city. *IEEE access, 8*, 38568–38585. <https://doi.org/10.1109/ACCESS.2020.2975708>
- [12] Tello-Oquendo, L., Lin, S. C., Akyildiz, I. F., & Pla, V. (2019). Software-defined architecture for QoS-aware IoT deployments in 5G systems. *Ad hoc networks, 93*, 101911. <https://doi.org/10.1016/j.adhoc.2019.101911>
- [13] Raza, U., Kulkarni, P., & Sooriyabandara, M. (2017). Low power wide area networks: an overview. *IEEE communications surveys & tutorials, 19*(2), 855–873. <https://doi.org/10.1109/COMST.2017.2652320>
- [14] Chang, C. W., Lee, H. W., & Liu, C. H. (2018). A review of artificial intelligence algorithms used for smart machine tools. *Inventions, 3*(3), 41. <https://doi.org/10.3390/inventions3030041>
- [15] Menghani, G. (2023). Efficient deep learning: A survey on making deep learning models smaller, faster, and better. *ACM computing surveys, 55*(12), 1–37. <https://doi.org/10.1145/3578938>
- [16] Salama, R., Mohapatra, H., Tülbentçi, T., & Al-Turjman, F. (2025). Deep learning technology: enabling safe communication via the internet of things. *Frontiers in communications and networks, 6*, 1416845. <https://doi.org/10.3389/frcmn.2025.1416845>
- [17] Bachanek, K. H., Tundys, B., Wiśniewski, T., Puzio, E., & Maroušková, A. (2021). Intelligent street lighting in a smart city concepts – A direction to energy saving in cities: an overview and case study. *Energies, 14*(11), 3018. <https://doi.org/10.3390/en14113018>
- [18] Fumo, N., & Biswas, M. A. R. (2015). Regression analysis for prediction of residential energy consumption. *Renewable and sustainable energy reviews, 47*, 332–343. <https://doi.org/10.1016/j.rser.2015.03.035>
- [19] Allan, A. C., Garcia-Hansen, V., Isoardi, G., & Smith, S. S. (2019). Subjective assessments of lighting quality: a measurement review. *Leukos, 15*(2), 115–126. <https://doi.org/10.1080/15502724.2018.1531017>

-
- [20] Johansson, M., Pedersen, E., Maleetipwan-Mattsson, P., Kuhn, L., & Laike, T. (2014). Perceived outdoor lighting quality (POLQ): A lighting assessment tool. *Journal of environmental psychology*, 39, 14–21. <https://doi.org/10.1016/j.jenvp.2013.12.002>
- [21] Gagliardi, G., Lupia, M., Cario, G., Tedesco, F., Cicchello Gaccio, F., Lo Scudo, F., & Casavola, A. (2020). Advanced adaptive street lighting systems for smart cities. *Smart cities*, 3(4), 1495–1512. <https://doi.org/10.3390/smartcities3040071>